

**RICOH**  
imagine. change.

A4 B/W MFP

**SP 3600SF**  
**SP 3610SF**

Printer  Copier  Scanner  Fax



SP 3600SF

30  
ppm ADF

SP 3610SF

30  
ppm SPDF

## Compact and durable A4 MFPs for daily use

The SP 3600SF/SP 3610SF offer everything you need for cost-effective black-and-white printing, copying, scanning and faxing. With an attractive purchase price and low Total Cost of Ownership these multifunctional devices are a sensible long-term investment. To optimise your office productivity, Ricoh's new controller offers outstanding speeds and performance. In addition, these devices fit easily on a desktop for quick operation and easy maintenance thanks to their small footprint and full front access. In short, the SP 3600SF/SP 3610SF will help you become even more productive, day in, day out, in an environmentally responsible manner.

- Save money with a low Total Cost of Ownership.
- Save space thanks to a compact, small footprint.
- Create high quality documents with 1,200 dpi printing.
- Easy operation and maintenance.
- Reduce your environmental impact: low power consumption.



# High productivity; low environmental impact

## Highly productive

Equipped with the latest Ricoh controller, the SP 3600SF/SP 3610SF offer high performance as well as fit-for-purpose functionality. Your first printout is ready in just 6.5 seconds, after which these devices speed along at 30 pages per minute. The single pass duplex scanner (SP 3610SF) ensures further productivity. Print resolution on the other hand is a high 1,200 x 1,200 dpi. To top it off, both devices are suitable for a duty cycle of 50,000 prints while @Remote is included as standard and WiFi connectivity is optional.



## Low Total Cost of Ownership

With a competitive price and low Total Electricity Consumption, the SP 3600SF/SP 3610SF are attractive purchases for small- to medium-sized offices. The PxP toner fuses at a lower temperature than normal, reducing energy costs. Toner consumption can be limited by using the 'toner save' feature. Running costs are driven down further thanks to the separate PCDU and toner. This means you can change them independently, instead of having to replace the complete all-in-one cartridge.

## Compact and easy to operate

Thanks to their small footprint, the SP 3600SF/SP 3610SF easily fit on any office desktop. Full front access is guaranteed for trouble-free maintenance. These devices are also a delight to use thanks to the 4-line LCD panel and short recovery from sleep: ready for action in no time!

## Environmentally friendly

The Ricoh philosophy is to provide optimal performance with the lowest environmental impact. With the SP 3600SF/SP 3610SF's ultra-sleep and ECO modes energy consumption and CO2 emissions are reduced to a minimum. During the design phase, recycled and bio-plastic components are used wherever possible. In addition, power consumption during operation is lowest in class and the use of toner and paper is efficiently managed to save resources.



# SP 3600SF/SP 3610SF

## MAIN SPECIFICATIONS

### GENERAL

|                          |                         |
|--------------------------|-------------------------|
| Warm-up time:            | 14 seconds              |
| First output speed:      | 6.5 seconds             |
| Continuous output speed: | 30 pages per minute     |
| Memory:                  | Standard: 512 MB        |
| Duty cycle:              | 50,000 prints per month |
| Dimensions (W x D x H):  | 400 x 392 x 406 mm      |
| Weight:                  | 19 kg                   |
| Power source:            | 220 - 240 V, 50/60 Hz   |

### COPIER

|                   |   |
|-------------------|---|
| Copying process:  | Dry, single component & electro-photographic printing |
| Multiple copying: | Up to 99 copies                                       |
| Resolution:       | 600 x 600 dpi   |
| Zoom:             | From 25% to 400% in 1% steps                          |

### PRINTER

|                        |  |
|------------------------|--|
| Printer language:      | Standard: PCL5e, PCL6, Adobe® PostScript® 3™   |
| Print resolution:      | 300 x 300 dpi, 600 x 600 dpi, 1,200 x 1,200 dpi  |
| Fonts:                 | PCL (45 fonts, International fonts: 13 Intellifonts), PS3 (Emulation) (136 fonts)  |
| Interface:             | Standard: USB 2.0, Ethernet 10 base-T/100 base-TX<br>Option: Wireless LAN (IEEE 802.11a/b/g/n)   |
| Network protocol:      | TCP/IP (IP v4, IP v6)  |
| Windows® environments: | Windows® Vista, Windows® 7, Windows® 8, Windows® 8.1, Windows® Server 2003, Windows® Server 2003R2, Windows® Server 2008, Windows® Server 2008R2, Windows® Server 2012, Windows® Server 2012R2 |
| Mac OS environments:   | Macintosh OS X Native v10.6 or later   |

### SCANNER

|                  |  |
|------------------|--|
| Scanning speed:  | Full colour: A4 (Maximum 6 ipm)<br>B/W: A4 (Maximum 20 ipm)                  |
| Resolution:      | Standard: 100 dpi, 200 dpi, 300 dpi,<br>400 dpi, 600 dpi<br>Default: 200 dpi |
| Original size:   | A4   |
| Bundled drivers: | Network TWAIN  |
| Scan to:         | E-mail (SMTP Auth, POP before SMTP), USB, SMB, FTP                           |

### FAX

|                     |                  |
|---------------------|------------------|
| Circuit:            | PSTN, PBX        |
| Compatibility:      | ITU-T (CCITT) G3 |
| Transmission speed: | G3: 3 second(s)  |
| Maximum:            | 33.6 Kbps        |
| Scanning speed:     | 2.5 second(s)    |
| Memory capacity:    | Standard: 16 MB  |
| Memory backup:      | No               |

### PAPER HANDLING

|                         |  |
|-------------------------|--|
| Recommended paper size: | A4<br>A5<br>A6<br>B5<br>B6   |
| Paper input capacity:   | Standard: 350 sheets<br>Maximum: 850 sheets  |
| Paper output capacity:  | Maximum: 125 sheets  |
| Paper weight:           | Paper tray(s): 52 - 162 g/m <sup>2</sup><br>Optional paper tray(s): 52 - 162 g/m <sup>2</sup><br>Bypass tray: 52 - 162 g/m <sup>2</sup><br>Duplex: 52 - 162 g/m <sup>2</sup> |

### ECOLOGY

|                    |   |
|--------------------|---|
| Power consumption: | Maximum: 1,006 W<br>Energy Saver mode: 0.98 W |
|--------------------|---|

### OPTIONS

1 x 250-sheet paper tray, 1 x 500-sheet paper tray, Wireless LAN (IEEE 802.11a/b/g/n)

### CONSUMABLES

|                                  |                      |
|----------------------------------|----------------------|
| Starter toner:                   | Black: 1,500 prints  |
| PCU yield:                       | Black: 20,000 prints |
| Toner cartridge (regular yield): | Black: 3,000 prints  |
| Toner cartridge (high yield):    | Black: 6,000 prints  |

For availability of models, options and software, please consult your local supplier.



**RICOH**  
imagine. change.

[www.rioh-europe.com](http://www.rioh-europe.com)

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners.

Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2018 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.